



Travel Medicine Information for Countries in Australia, Pacific Islands including New Zealand *from* TRIPSETC.COM

Vaccine and Immunization Information for Travelers to Countries in *Australia, Pacific Islands including New Zealand*

	<p>Nauru New Caledonia New Zealand Niue Norfolk Island Northern Mariana Islands Pacific Islands (U.S. Trust Territories) Palau Papua New Guinea Pitcairn Islands Samoa Solomon Islands Tokelau Tonga Tuvalu Vanuatu Wake Island</p>
<p><i>Countries include:</i> American Samoa Australia Christmas Island Cocos (Keeling) Islands Cook Islands Fiji French Polynesia (including Tahiti) Guam Kiribati Marshall Islands Micronesia (Federated States of)</p>	

Recommended Vaccinations and Preventive Medications:

- **Hepatitis A** or immune globulin (IG). (except for Australia and New Zealand).
- **Hepatitis B**, especially if you might be exposed to blood or body fluids (for example, health-care workers), have sexual contact with the local population, or be exposed through medical treatment.
- **Japanese Encephalitis**, Papua New Guinea or the Islands of Torres Strait in Australia. Local transmission documented but rare.

- **Rabies**, if you might have extensive unprotected outdoor exposure in rural areas, such as might occur during camping, hiking, or bicycling, or engaging in certain occupational activities.
- **Typhoid**, (except for Australia and New Zealand), particularly if you are visiting developing countries in this region.
- As needed, booster doses for **Tetanus-Diphtheria** and **Measles**.

Diseases found in Australia and the South Pacific (risk can vary by country and region within a country; quality of in-country surveillance also varies)

The preventive measures you need to take while traveling in this region depend on the areas you visit and the length of time you stay. You should observe the precautions listed in this document in most areas of this region. However, in highly developed areas of **Australia and New Zealand**, you should observe health precautions similar to those that would apply while traveling in the United States.

Malaria:

Malaria is always a serious disease and may be a deadly illness. Humans get Malaria from the bite of a mosquito infected with the parasite. Prevent this serious disease by seeing your health care provider for a prescription antimalarial drug and by protecting yourself against mosquito bites.

All travelers to malaria-risk areas in Papua New Guinea, the Solomon Islands, and Vanuatu, including infants, children, and former residents of these countries should take an antimalarial drug. Papua New Guinea has risk in all areas under the elevation of 1800 meters (5906 feet). The Solomon Islands has risk in all areas, except for the southern province of Rennell Island and Bellona Island. Vanuatu has risk throughout all its islands.

There is **no risk** for malaria in Australia, Christmas Island, Cook Island, Federated States of Micronesia, Fiji, French Polynesia (Tahiti), Guam, Kiribati, Marshall Islands, Nauru, New Caledonia, New Zealand, Niue, Northern Mariana Islands, Palau, Pitcairn, Samoa, American Samoa, Tokelau, Tonga, Tuvalu, Wake Island, Wallis and Futuna.

Yellow Fever:

There is **no risk** for Yellow Fever in Australia and the South Pacific. A certificate of Yellow Fever vaccination may be required for entry into certain of these countries if you are coming from countries in South America or sub-Saharan Africa. Find the nearest authorized U.S. Yellow Fever vaccine center for more information.

Food and Waterborne Diseases:

Make sure your food and drinking water are safe. Food and waterborne diseases are the primary cause of illness in travelers. **Travelers' Diarrhea** can be caused by viruses,

bacteria, or parasites, which are found throughout Australia and the South Pacific and can contaminate food or water. Infections may cause diarrhea and vomiting (**E. Coli, Salmonella, Cholera, and Parasites**), fever (**Typhoid Fever and Toxoplasmosis**), or liver damage (**Hepatitis**).

Other Disease Risks:

Risk of infection is quite variable within this region. Vaccine rates are high in Australia and New Zealand, but rates of certain infectious diseases are high in travelers to other islands. **Dengue, Filariasis, Ross River virus, and Murray Valley Encephalitis** are diseases carried by insects that also occur in this region. **Scrub Typhus** and other **Rickettsial infections** are present in this region. Protecting yourself against insect and tick bites will help to prevent these diseases. **Japanese Encephalitis** is present in Papua New Guinea and the Torres Strait and far northern Australia. Other hazards for travelers include **Ciguatera Poisoning**, which occurs frequently on some of the islands. **Snake and spider bites** are also a risk.



[Maryland Urgent Care](#) - Travel Medicine
Serving Maryland and Washington DC